

# Amazon-Web-Services

## Exam Questions MLS-C01

AWS Certified Machine Learning - Specialty



#### NEW QUESTION 1

An interactive online dictionary wants to add a widget that displays words used in similar contexts. A Machine Learning Specialist is asked to provide word features for the downstream nearest neighbor model powering the widget.

What should the Specialist do to meet these requirements?

- A. Create one-hot word encoding vectors.
- B. Produce a set of synonyms for every word using Amazon Mechanical Turk.
- C. Create word embedding factors that store edit distance with every other word.
- D. Download word embedding's pre-trained on a large corpus.

**Answer: A**

#### NEW QUESTION 2

A Machine Learning Specialist is building a convolutional neural network (CNN) that will classify 10 types of animals. The Specialist has built a series of layers in a neural network that will take an input image of an animal, pass it through a series of convolutional and pooling layers, and then finally pass it through a dense and fully connected layer with 10 nodes. The Specialist would like to get an output from the neural network that is a probability distribution of how likely it is that the input image belongs to each of the 10 classes.

Which function will produce the desired output?

- A. Dropout
- B. Smooth L1 loss
- C. Softmax
- D. Rectified linear units (ReLU)

**Answer: D**

#### NEW QUESTION 3

A Machine Learning Specialist is required to build a supervised image-recognition model to identify a cat. The ML Specialist performs some tests and records the following results for a neural network-based image classifier:

Total number of images available = 1,000 Test set images = 100 (constant test set)

The ML Specialist notices that, in over 75% of the misclassified images, the cats were held upside down by their owners.

Which techniques can be used by the ML Specialist to improve this specific test error?

- A. Increase the training data by adding variation in rotation for training images.
- B. Increase the number of epochs for model training.
- C. Increase the number of layers for the neural network.
- D. Increase the dropout rate for the second-to-last layer.

**Answer: B**

#### NEW QUESTION 4

A gaming company has launched an online game where people can start playing for free but they need to pay if they choose to use certain features. The company needs to build an automated system to predict whether or not a new user will become a paid user within 1 year. The company has gathered a labeled dataset from 1 million users.

The training dataset consists of 1,000 positive samples (from users who ended up paying within 1 year) and 999.1 negative samples (from users who did not use any paid features). Each data sample consists of 200 features including user age, device, location, and play patterns.

Using this dataset for training, the Data Science team trained a random forest model that converged with over 99% accuracy on the training set. However, the prediction results on a test dataset were not satisfactory.

Which of the following approaches should the Data Science team take to mitigate this issue? (Select TWO.)

- A. Add more deep trees to the random forest to enable the model to learn more features.
- B. Indicate a copy of the samples in the test database in the training dataset.
- C. Generate more positive samples by duplicating the positive samples and adding a small amount of noise to the duplicated data.
- D. Change the cost function so that false negatives have a higher impact on the cost value than false positives.
- E. Change the cost function so that false positives have a higher impact on the cost value than false negatives.

**Answer: BD**

#### NEW QUESTION 5

A Machine Learning Specialist is packaging a custom ResNet model into a Docker container so the company can leverage Amazon SageMaker for training. The Specialist is using Amazon EC2 P3 instances to train the model and needs to properly configure the Docker container to leverage the NVIDIA GPUs.


What does the Specialist need to do?

- A. Bundle the NVIDIA drivers with the Docker image.
- B. Build the Docker container to be NVIDIA-Docker compatible.
- C. Organize the Docker container's file structure to execute on GPU instances.
- D. Set the GPU flag in the Amazon SageMaker CreateTrainingJob request body.

**Answer: A**

#### NEW QUESTION 6

The displayed graph is from a foresting model for testing a time series.




Considering the graph only, which conclusion should a Machine Learning Specialist make about the behavior of the model?

- A. The model predicts both the trend and the seasonality well.
- B. The model predicts the trend well, but not the seasonality.
- C. The model predicts the seasonality well, but not the trend.
- D. The model does not predict the trend or the seasonality well.

**Answer: D**

#### NEW QUESTION 7

While reviewing the histogram for residuals on regression evaluation data a Machine Learning Specialist notices that the residuals do not form a zero-centered bell shape as shown. What does this mean?



- A. The model might have prediction errors over a range of target values.
- B. The dataset cannot be accurately represented using the regression model
- C. There are too many variables in the model
- D. The model is predicting its target values perfectly.

**Answer: D**

#### NEW QUESTION 8

A large consumer goods manufacturer has the following products on sale

- 34 different toothpaste variants
- 48 different toothbrush variants
- 43 different mouthwash variants

The entire sales history of all these products is available in Amazon S3. Currently, the company is using custom-built autoregressive integrated moving average (ARIMA) models to forecast demand for these products. The company wants to predict the demand for a new product that will soon be launched. Which solution should a Machine Learning Specialist apply?

- A. Train a custom ARIMA model to forecast demand for the new product.
- B. Train an Amazon SageMaker DeepAR algorithm to forecast demand for the new product.
- C. Train an Amazon SageMaker k-means clustering algorithm to forecast demand for the new product.
- D. Train a custom XGBoost model to forecast demand for the new product.

**Answer: B**

#### Explanation:

The Amazon SageMaker DeepAR forecasting algorithm is a supervised learning algorithm for forecasting scalar (one-dimensional) time series using recurrent neural networks (RNN). Classical forecasting methods, such as autoregressive integrated moving average (ARIMA) or exponential smoothing (ETS), fit a single model to each individual time series. They then use that model to extrapolate the time series into the future.

#### NEW QUESTION 9

An insurance company is developing a new device for vehicles that uses a camera to observe drivers' behavior and alert them when they appear distracted. The

company created approximately 10,000 training images in a controlled environment that a Machine Learning Specialist will use to train and evaluate machine learning models

During the model evaluation the Specialist notices that the training error rate diminishes faster as the number of epochs increases and the model is not accurately inferring on the unseen test images

Which of the following should be used to resolve this issue? (Select TWO)

- A. Add vanishing gradient to the model
- B. Perform data augmentation on the training data
- C. Make the neural network architecture complex.
- D. Use gradient checking in the model
- E. Add L2 regularization to the model

**Answer:** BD

#### NEW QUESTION 10

A large mobile network operating company is building a machine learning model to predict customers who are likely to unsubscribe from the service. The company plans to offer an incentive for these customers as the cost of churn is far greater than the cost of the incentive.

The model produces the following confusion matrix after evaluating on a test dataset of 100 customers: Based on the model evaluation results, why is this a viable model for production?

n = 100	PREDICTED CHURN	
	Yes	No
ACTUAL Churn Yes	10	4
Actual No	10	76

- A. The model is 86% accurate and the cost incurred by the company as a result of false negatives is less than the false positives.
- B. The precision of the model is 86%, which is less than the accuracy of the model.
- C. The model is 86% accurate and the cost incurred by the company as a result of false positives is less than the false negatives.
- D. The precision of the model is 86%, which is greater than the accuracy of the model.

**Answer:** B

#### NEW QUESTION 10

A Machine Learning Specialist is packaging a custom ResNet model into a Docker container so the company can leverage Amazon SageMaker for training. The Specialist is using Amazon EC2 P3 instances to train the model and needs to properly configure the Docker container to leverage the NVIDIA GPUs. What does the Specialist need to do?

- A. Bundle the NVIDIA drivers with the Docker image
- B. Build the Docker container to be NVIDIA-Docker compatible
- C. Organize the Docker container's file structure to execute on GPU instances.
- D. Set the GPU flag in the Amazon SageMaker Create TrainingJob request body

**Answer:** A

#### NEW QUESTION 11

A Machine Learning Specialist is configuring automatic model tuning in Amazon SageMaker. When using the hyperparameter optimization feature, which of the following guidelines should be followed to improve optimization? Choose the maximum number of hyperparameters supported by

- A. Amazon SageMaker to search the largest number of combinations possible
- B. Specify a very large hyperparameter range to allow Amazon SageMaker to cover every possible value.
- C. Use log-scaled hyperparameters to allow the hyperparameter space to be searched as quickly as possible
- D. Execute only one hyperparameter tuning job at a time and improve tuning through successive rounds of experiments

**Answer:** C

#### NEW QUESTION 13

A company is running an Amazon SageMaker training job that will access data stored in its Amazon S3 bucket. A compliance policy requires that the data never be transmitted across the internet. How should the company set up the job?

- A. Launch the notebook instances in a public subnet and access the data through the public S3 endpoint
- B. Launch the notebook instances in a private subnet and access the data through a NAT gateway
- C. Launch the notebook instances in a public subnet and access the data through a NAT gateway
- D. Launch the notebook instances in a private subnet and access the data through an S3 VPC endpoint.

**Answer:** D

#### NEW QUESTION 17

A Machine Learning Specialist is building a model to predict future employment rates based on a wide range of economic factors. While exploring the data, the Specialist notices that the magnitude of the input features vary greatly. The Specialist does not want variables with a larger magnitude to dominate the model. What should the Specialist do to prepare the data for model training?

- A. Apply quantile binning to group the data into categorical bins to keep any relationships in the data by replacing the magnitude with distribution
- B. Apply the Cartesian product transformation to create new combinations of fields that are independent of the magnitude
- C. Apply normalization to ensure each field will have a mean of 0 and a variance of 1 to remove any significant magnitude

D. Apply the orthogonal sparse Diagram (OSB) transformation to apply a fixed-size sliding window to generate new features of a similar magnitude.

**Answer:** C

#### NEW QUESTION 19

A Machine Learning Specialist is building a prediction model for a large number of features using linear models, such as linear regression and logistic regression. During exploratory data analysis, the Specialist observes that many features are highly correlated with each other. This may make the model unstable. What should be done to reduce the impact of having such a large number of features?

- A. Perform one-hot encoding on highly correlated features.
- B. Use matrix multiplication on highly correlated features.
- C. Create a new feature space using principal component analysis (PCA).
- D. Apply the Pearson correlation coefficient.

**Answer:** C

#### NEW QUESTION 24

Amazon Connect has recently been tolled out across a company as a contact call center. The solution has been configured to store voice call recordings on Amazon S3.

The content of the voice calls are being analyzed for the incidents being discussed by the call operators. Amazon Transcribe is being used to convert the audio to text, and the output is stored on Amazon S3.

Which approach will provide the information required for further analysis?

- A. Use Amazon Comprehend with the transcribed files to build the key topics.
- B. Use Amazon Translate with the transcribed files to train and build a model for the key topics.
- C. Use the AWS Deep Learning AMI with Gluon Semantic Segmentation on the transcribed files to train and build a model for the key topics.
- D. Use the Amazon SageMaker k-Nearest-Neighbors (kNN) algorithm on the transcribed files to generate a word embeddings dictionary for the key topics.

**Answer:** B

#### NEW QUESTION 28

A Data Scientist wants to gain real-time insights into a data stream of GZIP files. Which solution would allow the use of SQL to query the stream with the LEAST latency?

- A. Amazon Kinesis Data Analytics with an AWS Lambda function to transform the data.
- B. AWS Glue with a custom ETL script to transform the data.
- C. An Amazon Kinesis Client Library to transform the data and save it to an Amazon ES cluster.
- D. Amazon Kinesis Data Firehose to transform the data and put it into an Amazon S3 bucket.

**Answer:** A

#### NEW QUESTION 32

A Machine Learning Specialist is building a model that will perform time series forecasting using Amazon SageMaker. The Specialist has finished training the model and is now planning to perform load testing on the endpoint so they can configure Auto Scaling for the model variant.

Which approach will allow the Specialist to review the latency, memory utilization, and CPU utilization during the load test?

- A. Review SageMaker logs that have been written to Amazon S3 by leveraging Amazon Athena and Amazon QuickSight to visualize logs as they are being produced.
- B. Generate an Amazon CloudWatch dashboard to create a single view for the latency, memory utilization, and CPU utilization metrics that are outputted by Amazon SageMaker.
- C. Build custom Amazon CloudWatch Logs and then leverage Amazon ES and Kibana to query and visualize the data as it is generated by Amazon SageMaker.
- D. Send Amazon CloudWatch Logs that were generated by Amazon SageMaker to Amazon ES and use Kibana to query and visualize the log data.

**Answer:** B

#### NEW QUESTION 34

A financial services company is building a robust serverless data lake on Amazon S3. The data lake should be flexible and meet the following requirements:

- \* Support querying old and new data on Amazon S3 through Amazon Athena and Amazon Redshift Spectrum.
- \* Support event-driven ETL pipelines.
- \* Provide a quick and easy way to understand metadata. Which approach meets these requirements?

- A. Use an AWS Glue crawler to crawl S3 data, an AWS Lambda function to trigger an AWS Glue ETL job, and an AWS Glue Data catalog to search and discover metadata.
- B. Use an AWS Glue crawler to crawl S3 data, an AWS Lambda function to trigger an AWS Batch job, and an external Apache Hive metastore to search and discover metadata.
- C. Use an AWS Glue crawler to crawl S3 data, an Amazon CloudWatch alarm to trigger an AWS Batch job, and an AWS Glue Data Catalog to search and discover metadata.
- D. Use an AWS Glue crawler to crawl S3 data, an Amazon CloudWatch alarm to trigger an AWS Glue ETL job, and an external Apache Hive metastore to search and discover metadata.

**Answer:** B

#### NEW QUESTION 36

An online reseller has a large, multi-column dataset with one column missing 30% of its data. A Machine Learning Specialist believes that certain columns in the dataset could be used to reconstruct the missing data.

Which reconstruction approach should the Specialist use to preserve the integrity of the dataset?



- A. Listwise deletion
- B. Last observation carried forward
- C. Multiple imputation
- D. Mean substitution

**Answer:** C

#### NEW QUESTION 37

A company is observing low accuracy while training on the default built-in image classification algorithm in Amazon SageMaker. The Data Science team wants to use an Inception neural network architecture instead of a ResNet architecture.

Which of the following will accomplish this? (Select TWO.)

- A. Customize the built-in image classification algorithm to use Inception and use this for model training.
- B. Create a support case with the SageMaker team to change the default image classification algorithm to Inception.
- C. Bundle a Docker container with TensorFlow Estimator loaded with an Inception network and use this for model training.
- D. Use custom code in Amazon SageMaker with TensorFlow Estimator to load the model with an Inception network and use this for model training.
- E. Download and apt-get install the inception network code into an Amazon EC2 instance and use this instance as a Jupyter notebook in Amazon SageMaker.

**Answer:** AD

#### NEW QUESTION 41

A Machine Learning Specialist trained a regression model, but the first iteration needs optimizing. The Specialist needs to understand whether the model is more frequently overestimating or underestimating the target.

What option can the Specialist use to determine whether it is overestimating or underestimating the target value?

- A. Root Mean Square Error (RMSE)
- B. Residual plots
- C. Area under the curve
- D. Confusion matrix

**Answer:** C

#### NEW QUESTION 43

A Machine Learning Specialist receives customer data for an online shopping website. The data includes demographics, past visits, and locality information. The Specialist must develop a machine learning approach to identify the customer shopping patterns, preferences and trends to enhance the website for better service and smart recommendations.

Which solution should the Specialist recommend?

- A. Latent Dirichlet Allocation (LDA) for the given collection of discrete data to identify patterns in the customer database.
- B. A neural network with a minimum of three layers and random initial weights to identify patterns in the customer database
- C. Collaborative filtering based on user interactions and correlations to identify patterns in the customer database
- D. Random Cut Forest (RCF) over random subsamples to identify patterns in the customer database

**Answer:** C

#### NEW QUESTION 45

A Machine Learning Specialist is configuring Amazon SageMaker so multiple Data Scientists can access notebooks, train models, and deploy endpoints. To ensure the best operational performance, the Specialist needs to be able to track how often the Scientists are deploying models, GPU and CPU utilization on the deployed SageMaker endpoints, and all errors that are generated when an endpoint is invoked.

Which services are integrated with Amazon SageMaker to track this information? (Select TWO.)

- A. AWS CloudTrail
- B. AWS Health
- C. AWS Trusted Advisor
- D. Amazon CloudWatch
- E. AWS Config

**Answer:** AD

#### NEW QUESTION 47

A Machine Learning Specialist is using an Amazon SageMaker notebook instance in a private subnet of a corporate VPC. The ML Specialist has important data stored on the Amazon SageMaker notebook instance's Amazon EBS volume, and needs to take a snapshot of that EBS volume. However the ML Specialist cannot find the Amazon SageMaker notebook instance's EBS volume or Amazon EC2 instance within the VPC.

Why is the ML Specialist not seeing the instance visible in the VPC?

- A. Amazon SageMaker notebook instances are based on the EC2 instances within the customer account, but they run outside of VPCs.
- B. Amazon SageMaker notebook instances are based on the Amazon ECS service within customer accounts.
- C. Amazon SageMaker notebook instances are based on EC2 instances running within AWS service accounts.
- D. Amazon SageMaker notebook instances are based on AWS ECS instances running within AWS service accounts.

**Answer:** C

#### NEW QUESTION 51

IT leadership wants to transition a company's existing machine learning data storage environment to AWS as a temporary ad hoc solution. The company currently uses a custom software process that heavily leverages SQL as a query language and exclusively stores generated csv documents for machine learning. The ideal state for the company would be a solution that allows it to continue to use the current workforce of SQL experts. The solution must also support the

storage of csv and JSON files, and be able to query over semi-structured data The following are high priorities for the company:

- Solution simplicity
- Fast development time
- Low cost
- High flexibility

What technologies meet the company's requirements?

- A. Amazon S3 and Amazon Athena
- B. Amazon Redshift and AWS Glue
- C. Amazon DynamoDB and DynamoDB Accelerator (DAX)
- D. Amazon RDS and Amazon ES

**Answer: B**

#### NEW QUESTION 55

An Amazon SageMaker notebook instance is launched into Amazon VPC The SageMaker notebook references data contained in an Amazon S3 bucket in another account The bucket is encrypted using SSE-KMS The instance returns an access denied error when trying to access data in Amazon S3.

Which of the following are required to access the bucket and avoid the access denied error? (Select THREE )

- A. An AWS KMS key policy that allows access to the customer master key (CMK)
- B. A SageMaker notebook security group that allows access to Amazon S3
- C. An IAM role that allows access to the specific S3 bucket
- D. A permissive S3 bucket policy
- E. An S3 bucket owner that matches the notebook owner
- F. A SageMaker notebook subnet ACL that allow traffic to Amazon S3.

**Answer: ACF**

#### NEW QUESTION 59

A Machine Learning Specialist is assigned a TensorFlow project using Amazon SageMaker for training, and needs to continue working for an extended period with no Wi-Fi access.

Which approach should the Specialist use to continue working?

- A. Install Python 3 and boto3 on their laptop and continue the code development using that environment.
- B. Download the TensorFlow Docker container used in Amazon SageMaker from GitHub to their local environment, and use the Amazon SageMaker Python SDK to test the code.
- C. Download TensorFlow from tensorflow.org to emulate the TensorFlow kernel in the SageMaker environment.
- D. Download the SageMaker notebook to their local environment then install Jupyter Notebooks on their laptop and continue the development in a local notebook.

**Answer: A**

#### NEW QUESTION 60

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### MLS-C01 Practice Exam Features:

- \* MLS-C01 Questions and Answers Updated Frequently
- \* MLS-C01 Practice Questions Verified by Expert Senior Certified Staff
- \* MLS-C01 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* MLS-C01 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The MLS-C01 Practice Test Here](#)**