

# Oracle

## Exam Questions 1z0-931-25

Oracle Autonomous Database Cloud 2025 Professional



#### NEW QUESTION 1

Which three methods can be used to migrate your existing Oracle database to Autonomous Database? (Choose three.)

- A. Using SFTP to copy CSV files into an Autonomous Database
- B. Using Oracle Zero Downtime Migration (ZDM)
- C. Using GoldenGate
- D. Using Data Pump
- E. Using Recovery Manager (RMAN)

**Answer:** BCD

#### NEW QUESTION 2

Which vaults are used for storing customer-managed encryption keys for Autonomous Database on Dedicated Infrastructure?

- A. Oracle Audit Vault, Oracle Key Vault
- B. Oracle Cloud Infrastructure Vault, Oracle Database Vault
- C. Oracle Database Vault, Oracle Key Vault
- D. Oracle Key Vault, Oracle Cloud Infrastructure Vault

**Answer:** D

#### NEW QUESTION 3

Which statement is NOT correct when setting up compartment quotas?

- A. Compartment quotas are set by Oracle
- B. Along with compartment budgets, compartment quotas create a powerful toolset to manage your spending
- C. There are three types of quota policy statements which are set, unset, and zero
- D. Compartment quotas use policies that allow allocation of resources with a high level of flexibility

**Answer:** A

#### NEW QUESTION 4

DBSRV1 is an Autonomous Database with the display name PRODDB. You plan to take manual backups of this database periodically. What must be the name of the bucket that will be used to store manual backups?

- A. backup\_proddb
- B. BACKUP\_PRODDB
- C. backup\_dbsrv1
- D. BACKUP\_DBSRV1

**Answer:** D

#### NEW QUESTION 5

Which management operation is correct about Autonomous Databases on Shared Exadata Infrastructure?

- A. You can skip a scheduled maintenance run
- B. For Autonomous Database on Shared Exadata Infrastructure, you can skip maintenance runs for up to two consecutive quarters if needed
- C. You can perform a "rolling restart" on all the Autonomous Database
- D. During a rolling restart, each node on the Autonomous Database is restarted separately while the remaining nodes continue to be available
- E. You cannot configure the scheduling for your Autonomous Databases on Shared Exadata Infrastructure
- F. You can choose to use Release Update or Release Update Revision updates for your Autonomous Databases on Shared Infrastructure

**Answer:** C

#### NEW QUESTION 6

Which three operations are available for a quarterly maintenance update on Autonomous Container Database? (Choose three.)

- A. Patch immediately
- B. Reschedule and patch immediately
- C. Reschedule patching
- D. Skip patching
- E. Apply a partial patch

**Answer:** BCD

#### NEW QUESTION 7

How many Network Security Groups (NSGs) can you configure for an Autonomous Database?

- A. 3
- B. 9
- C. 7
- D. 5

**Answer:** D

#### NEW QUESTION 8

Which three event types are supported for Autonomous Database?

- A. Maintenance Begin
- B. Change Autoscaling Configuration Compartment
- C. Change Compartment Begin
- D. Update IORM Begin
- E. Terminate End

**Answer:** ACE

#### NEW QUESTION 9

Which is a feature of a graph query language?

- A. Run key-value queries
- B. Scripting language
- C. Object-oriented language
- D. Ability to specify patterns

**Answer:** D

#### NEW QUESTION 10

Which statement is true when connecting an OCI Marketplace image to a shared Autonomous Database?

- A. Compute Image and Shared ADB must be in the same VCN and Subnet
- B. ADB must be configured with Private endpoints
- C. ADB must be configured with NSG
- D. Cannot connect OCI Marketplace image to shared ADB

**Answer:** A

#### NEW QUESTION 10

Which stage of the indexing pipeline divides text into tokens?

- A. Sectioner
- B. Tokenizer
- C. Filter
- D. Lexer

**Answer:** D

#### NEW QUESTION 14

Which Oracle package is used to load data to an Autonomous Database from object storage?

- A. DBMS\_RPC
- B. DBMS\_LOAD
- C. DBMS\_MIGRATE
- D. DBMS\_CLOUD

**Answer:** D

#### NEW QUESTION 19

Which Database Actions tool is used to get information about the entities in your Oracle Autonomous Database and to also see how changing an object affects other objects?

- A. Catalog
- B. Data Load
- C. JSON
- D. Data Insight

**Answer:** A

#### NEW QUESTION 21

How can you keep Autonomous Database tables in sync with an on-premises data source?

- A. Use the ORDS package on the Data Load page
- B. Use the Cloud Locations card on the Data Load page
- C. Use the Link Data option on the Data Load page
- D. Use the FEED DATA option on the Data Load page

**Answer:** B

#### NEW QUESTION 24

When working with an Autonomous Exadata Infrastructure supporting Autonomous Databases, where do you go to view the maintenance history of the Exadata?

- A. Under Core Infrastructure then Compute then Autonomous Exadata
- B. Under Database then Autonomous Transaction Processing then Autonomous Exadata
- C. Under Solutions and Platforms then Platform Services then Autonomous Exadata
- D. Under Core Infrastructure then Autonomous Exadata

**Answer: C**

**NEW QUESTION 28**

Which set of options can be specified when defining the preferred maintenance schedule of the Exadata Infrastructure for Autonomous Database Dedicated?

- A. Quarter of the Year, Month of the Quarter, Date of the Month, Start Hour
- B. Month of the Quarter, Week of the Month, Day of the Week, Start Hour
- C. Month of the Year, Week of the Month, Day of the Week, Start Hour
- D. Week of the Quarter, Day of the Week, Start Hour

**Answer: B**

**NEW QUESTION 29**

Which two statements are true about Recovery Time Objective (RTO) and Recovery Point Objective (RPO) for Autonomous Data Guard? (Choose two.)

- A. RTO and RPO are adjustable through the OCI console
- B. RPO is adjustable, but RTO is always 5 minutes
- C. RPO is 0 minutes for an automatic failover
- D. RTO and RPO are 0 minutes for manual failovers
- E. RTO is 2 minutes for an automatic failover

**Answer: CE**

**NEW QUESTION 33**

You have an Autonomous Transaction Processing Database with three OCPUs and auto-scaling turned on, and your application is using the TPURGENT service. The load on the database increases from three OCPUs to nine OCPUs. What is the total number of concurrent statements that the TPURGENT service can support?

- A. 1500
- B. 1800
- C. 900
- D. 2700

**Answer: D**

**NEW QUESTION 38**

Which workload type does the Autonomous Database on dedicated infrastructure service currently support?

- A. Autonomous Transaction Processing only
- B. Hybrid Columnar Compression
- C. ATP and ADW
- D. Autonomous Data Warehouse only

**Answer: C**

**NEW QUESTION 39**

What predefined user is created when provisioning an Autonomous Database (ADB) instance to which you connect to create other users and grant roles?

- A. SYS
- B. ADMIN
- C. DWDEV
- D. SCOTT

**Answer: B**

**NEW QUESTION 43**

Which can be used to ensure that your Autonomous Database is accessible only from a given set of IPs?

- A. Security List
- B. IP Vault
- C. Access Control List
- D. IPSec List

**Answer: C**

**NEW QUESTION 46**

What two actions can you do when a refreshable clone passes the refresh time limit? (Choose two.)

- A. You can manually refresh the clone
- B. You can disconnect from the source to make the database a read/write database

- C. You can use the instance as a read-only database
- D. You can extend the refresh time limit

**Answer:** BC

**NEW QUESTION 50**

Which terminology is used to refer to a communication channel for sending messages to a subscription, such as email or SMS, in Oracle Cloud Infrastructure?

- A. Subject
- B. Notification
- C. Topic
- D. Event

**Answer:** C

**NEW QUESTION 52**

A Business Analyst joined your organization and wants to explore the database tools. When restoring or cloning an Autonomous Database (ADB), you must select a backup that is at least how old?

- A. 24 hours
- B. 5 minutes
- C. 2 hours
- D. 1 day

**Answer:** A

**NEW QUESTION 55**

Which statement is true when the Autonomous Database has auto scaling enabled?

- A. Increases the number of sessions available to the database
- B. Scales the PGA and SGA size when needed for the workload
- C. Database concurrency is scaled up when needed by the workload
- D. Enables the database to use up to 3x CPU/IO resources immediately when needed by the workload

**Answer:** D

**NEW QUESTION 58**

Which native data type is used to store spatial information?

- A. SDO\_GEOMETRY
- B. SDO\_LOCATION
- C. SDO\_RELATE
- D. GEO\_JSON

**Answer:** A

**NEW QUESTION 61**

You are the admin user of an Autonomous Database instance. A new business analyst has joined the team and would like to explore the Autonomous Database tables using Autonomous Database's Data Tools. Which step should you perform to enable the new team member?

- A. Create a REST-enabled database user (with connect and object privileges) and grant the DWROLE role.
- B. Create a database user with the default privileges.
- C. Create a database user with connect, resource, and object privileges.
- D. Create an IDCS user and create a database user with connect, resource, and object privileges.

**Answer:** A

**NEW QUESTION 65**

Autonomous Database's auto scaling feature allows your database to use up to three times the current base number of OCPU cores at any time. As demand increases, auto scaling automatically increases the number of cores in use. Likewise, as demand drops, auto scaling automatically decreases the number of cores in use. Which statement is FALSE regarding the auto scaling feature?

- A. For databases on dedicated Exadata infrastructure, the maximum number of cores is limited by the number of free cores that are not being used by other auto scaling databases to meet high-load demands.
- B. For databases on dedicated Exadata infrastructure, the maximum number of cores available to a database depends on the total number of cores available in the Exadata infrastructure instance.
- C. The base number of OCPU cores allocated to a database is not guaranteed.
- D. Auto Scaling is enabled by default and can be enabled or disabled at any time.

**Answer:** C

**NEW QUESTION 70**

You created an Autonomous Database without auto scaling. Which two ways can you enable auto scaling? (Choose two.)

- A. Click Scale Up/Down and select the Auto Scaling checkbox.

- B. Shut down the instance, click Scale Up/Down and select the Auto Scaling checkbox, then restart the instance.
- C. Use a REST call to enable Auto Scaling.
- D. Use a REST call to shut down the instance, then a second REST call to enable Auto Scaling, and a REST call to restart the instance.

**Answer:** AC

#### **NEW QUESTION 71**

Which can be scaled independently of the number of CPUs in an Autonomous Database?

- A. Sessions
- B. Storage
- C. Memory
- D. Concurrency
- E. Parallelism

**Answer:** B

#### **NEW QUESTION 72**

Which three tools can be used to monitor the usage and activities of Autonomous Database on Dedicated Infrastructure? (Choose three.)

- A. RMAN
- B. Logs
- C. Enterprise Manager Cloud Control
- D. OCI Metrics
- E. Performance Hub

**Answer:** CDE

#### **NEW QUESTION 73**

When cloning from a backup, what is the earliest timestamp of the backup allowed in Autonomous Database?

- A. 2 hours
- B. 24 hours
- C. 1 hour
- D. 30 minutes

**Answer:** A

#### **NEW QUESTION 77**

You need to set up a notification for a scheduled shutdown of an Autonomous Database instance. What should you do?

- A. Create a rule for the Oracle Cloud Infrastructure Event for 'Autonomous Database STOP END'
- B. Create an Oracle Cloud Infrastructure Alarm for Shutdown metric
- C. Add a 'BEFORE SHUTDOWN ON DATABASE' trigger within the database
- D. Create a notification alert using DBMS\_SNMP package

**Answer:** A

#### **NEW QUESTION 82**

Which statement is FALSE about Autonomous Database maintenance on Dedicated Infrastructure?

- A. You can change your container database maintenance window or reschedule a single container database maintenance run to ensure that your container database maintenance runs follow.
- B. Autonomous Exadata Infrastructure maintenance runs are for infrastructure patching(including patching of the Exadata grid infrastructure code and operating systems updates) and includes container database patching.
- C. If a scheduled container database maintenance run cannot take place, Oracle automatically reschedules the container database maintenance for the following quarter.
- D. Autonomous Exadata Infrastructure maintenance takes place at least once each quarter.

**Answer:** B

#### **NEW QUESTION 84**

Which statement is correct with respect to the required action to move Oracle Autonomous Database resources to a different compartment?

- A. Moving an Autonomous Database instance does not include its automatic backups.
- B. You do not require sufficient access permissions on the compartment that the resource is being moved to.
- C. Autonomous Exadata Infrastructure instances and Autonomous Container Databases have no dependent resources that move with the
- D. Associated (non-dependent) resources remain in their current compartments.
- E. Moving the compartment of the Autonomous Database also moves the Autonomous Container Database and Autonomous Exadata Infrastructure.

**Answer:** C

#### **NEW QUESTION 85**

Your company has a .NET application and wants to deploy it on Autonomous Database (ADB). What software is used to connect to ADB from the .NET application?

- A. SQL\*Plus
- B. You cannot use .NET with ADB
- C. Java
- D. Oracle Data Access Components for Windows

**Answer:** D

#### NEW QUESTION 88

What REST verb is used to create an Autonomous Database service using REST APIs?

- A. A "POST" REST call
- B. A "GET" REST call
- C. A "PUT" REST call
- D. An "INSERT" REST call

**Answer:** A

#### NEW QUESTION 92

You see a clock icon in the Status column on the SQL Monitoring tab of Performance Hub. What does it indicate?

- A. The SQL statement is queued.
- B. The SQL statement is executing.
- C. The SQL statement did not complete either due to an error.
- D. The SQL statement completed its execution.

**Answer:** A

#### NEW QUESTION 96

Which statement is correct about the Service Console in an Autonomous Database?

- A. You can use the Service Console to enable or disable auto-scaling of an Autonomous Database.
- B. You can use the Service Console to manage runaway SQL statements on an Autonomous Database.
- C. You can use the Service Console to create manual backups of an Autonomous Database.
- D. You can use the Service Console to move an Autonomous Database between compartments.

**Answer:** B

#### NEW QUESTION 99

A corporation is building a web application to allow its customers to schedule service requests online. There is also a need to run operational reports at times during non-peak hours. The architecture team is debating whether such reports should be run on the OLTP database or in a separate data mart. The DBA Manager does not want to add any more admin responsibility to the team and is looking for a database option that's low to zero maintenance, but meets their strict performance requirements as well. Which Oracle Cloud Infrastructure database service is appropriate for this scenario?

- A. ATP using 'tpurgent' and 'high' TNS services to separate connection types
- B. Since the application needs to be highly available, it should be deployed on a Kubernetes Cluster
- C. It is best to build a separate data warehouse, and move the OLTP data on a nightly basis
- D. ADW since operational reporting is a higher priority in this scenario

**Answer:** A

#### NEW QUESTION 103

What are two differentiators of Oracle Autonomous Database on Dedicated Infrastructure? (Choose two.)

- A. Users are offered greater control and isolation starting at the Exadata Cloud Infrastructure level.
- B. Users can customize the OS stack and add additional packages.
- C. Users have OS access to the database machine.
- D. Users have SYS privileges in the database.
- E. Users have more control over the maintenance schedule.

**Answer:** AE

#### NEW QUESTION 105

Which two optimizations are different between Autonomous Data Warehouse and Autonomous Transaction Processing? (Choose two.)

- A. Memory Usage
- B. Data Organization
- C. Backup Retention
- D. Undo Management

**Answer:** AB

#### NEW QUESTION 108

Which two actions can you perform with Autonomous Data Guard enabled on Autonomous Database on Shared Infrastructure? (Choose two.)

- A. View Apply Lag
- B. Reinststate
- C. Switchover
- D. Failover
- E. Change Protection Mode

**Answer:** CD

**NEW QUESTION 113**

Which two objects are imported when using Data Pump to migrate your Oracle database to Autonomous Database? (Choose two.)

- A. Tablespaces
- B. Data
- C. Schemas
- D. Report

**Answer:** BC

**NEW QUESTION 117**

Your customer wants to permanently disable scheduled maintenance on Autonomous Dedicated Infrastructure to keep their current database version. How can they achieve this?

- A. Change the Automatic Maintenance Schedule to 'No Preference'
- B. Change the Automatic Maintenance Schedule to 'None'
- C. You cannot permanently disable scheduled Automatic Maintenance
- D. Change the Automatic Maintenance Schedule to 'Specify a Schedule' but do not select any month, week, or day

**Answer:** C

**NEW QUESTION 122**

What is the difference between Autonomous Data Warehouse (ADW) and Autonomous Transaction Processing (ATP) databases?

- A. Only ATP manages optimizer statistics.
- B. Only ADW supports autoscaling
- C. Only ADW uses columnar compression by default.
- D. Only ATP supports automatic backups.

**Answer:** C

**NEW QUESTION 123**

Which two statements are true regarding active transactions when scaling OCPUs in an Autonomous Database? (Choose two.)

- A. Active transactions are terminated and rolled back
- B. Scaling can happen while there are active transactions in the database
- C. Active transactions continue running unaffected
- D. Active transactions are paused

**Answer:** BC

**NEW QUESTION 128**

Which statement is false about Autonomous Database Oracle Client Credentials (Wallets)?

- A. The Wallet for the Autonomous Database is the same as the TDE wallet
- B. You must have an Oracle Client Credential wallet in order to connect to the Autonomous Database
- C. In addition to the Oracle Client Credential Wallet, a user must have a username and password in order to connect to the Autonomous Database
- D. The Oracle Client Credential file is downloaded as a ZIP file

**Answer:** A

**NEW QUESTION 130**

Oracle Autonomous Database on Dedicated Infrastructure is composed of which Oracle Cloud resources?

- A. Autonomous Exadata Infrastructure, Autonomous Backup, Autonomous Container Database, Autonomous Database
- B. Fleet Administrator, Database Administrator, Database User, Autonomous Exadata Infrastructure
- C. Oracle Machine Learning Zeppelin Notebook, Autonomous Exadata Infrastructure, Fleet Administrator, Database Administrator
- D. Virtual Cloud Network, Compartments, Policies, Autonomous Exadata Infrastructure

**Answer:** A

**NEW QUESTION 131**

Which file is NOT a component of the client credentials wallet used to connect to an Oracle Autonomous Database?

- A. protocol.ora
- B. ewallet.p12
- C. sqlnet.ora

- D. keystore.jks
- E. cwallet.sso

**Answer:** A

#### NEW QUESTION 133

Which statement is NOT correct when the Autonomous Database is stopped?

- A. Tools are no longer able to connect to a stopped instance.
- B. In-flight transactions and queries are stopped.
- C. User with DWROLE can still access the database.
- D. CPU billing is halted.

**Answer:** C

#### NEW QUESTION 134

Which two statements are true about the Oracle Cloud Infrastructure (OCI)? (Choose two.)

- A. Regions are dependent on other regions and must be located within 5 thousand kilometers of each other.
- B. An OCI region is a localized geographic area, and an availability domain is one or more data centers located within a region.
- C. A single fault domain can be associated with multiple regions and availability domains.
- D. Because availability domains do not share infrastructure such as power or cooling, or the internal availability domain network, a failure at one availability domain within a region is unlikely to impact the availability of the others within the same region.

**Answer:** BD

#### NEW QUESTION 138

Which predefined service connection should you use when running lots of high concurrent queries in an Autonomous Database?

- A. DBNAME\_LOW
- B. DBNAME\_MEDIUM
- C. DBNAME\_HIGH
- D. DBNAME\_CONCURRENT

**Answer:** A

#### NEW QUESTION 141

Which four file formats are supported when loading data from Cloud Storage?

- A. DDL
- B. AVRO
- C. Parquet
- D. DOC
- E. JSON
- F. CSV

**Answer:** BCEF

#### NEW QUESTION 146

Where can a user's public SSH key be added on the Oracle Cloud Infrastructure Console in order to execute API calls?

- A. On the Autonomous Database Console
- B. SSH keys are not required in Oracle Cloud Infrastructure
- C. SSH keys cannot be added from console
- D. They have to be added using REST APIs only
- E. Navigate to Identity, select Users panel on the console and select "Add Public Key"

**Answer:** D

#### NEW QUESTION 149

What are three characteristics of Data Lake data captured in Object Storage? (Choose three.)

- A. High concurrency
- B. High transaction performance
- C. Schema on read
- D. Multiple subject areas
- E. Mixed data types

**Answer:** CDE

#### NEW QUESTION 150

Which is NOT needed to manage Oracle Autonomous Database with REST APIs?

- A. User's OCID
- B. Tenancy's OCID

- C. Fingerprint of the public key
- D. Database ADMIN password

**Answer: D**

**NEW QUESTION 152**

You need to create a new database by using the Oracle Cloud Infrastructure (OCI) Command Line Interface (CLI) with the following requirements: Autonomous Transaction Processing, License Included, Shared Infrastructure. Which parameter would you NOT use?

- A. db-type
- B. is-dedicated
- C. db-workload
- D. license-model

**Answer: A**

**NEW QUESTION 154**

Users connect to Autonomous Data Warehouse by using one of the following consumer groups: High, Medium, and Low. Which statement is true?

- A. Low provides highest concurrency and lowest resources, and DoP is 1.
- B. High provides highest concurrency and lowest resources, and DoP is 1.
- C. Medium provides intermediate resource and concurrency, and queries run serially.
- D. High provides highest resource and lowest concurrency, and Degree of Parallelism (DoP) is 1.

**Answer: A**

**NEW QUESTION 158**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **1z0-931-25 Practice Exam Features:**

- \* 1z0-931-25 Questions and Answers Updated Frequently
- \* 1z0-931-25 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-931-25 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 1z0-931-25 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 1z0-931-25 Practice Test Here](#)**